

36 Drop-in Gas Cooktop 5 brass burners Professional Series

\$ 1,799



PROF365QBXT

Bertazzoni signature low edge drop-in cooktops put Italian design and precision at the heart of your kitchen. As beautiful as they are practical, they sit almost flush with countertops and cabinets.

The combination of 5 brass burners and cast iron contour grates let you cook like a professional. The grates are designed for maximum space to fit pots and pans of different sizes with ease. Boil pasta, sear meat or stir fry with a wok on the power burner with dual ring flame; or delicately melt chocolate or warm cream on the simmer burner.

Cleaning up afterwards is easy, thanks to the seamless one-piece stainless worktop with no gaps, joints or fasteners.

Safety is designed-in with the 100% fail-safe thermocouple technology. It instantly shuts off the gas if the flame goes out, offering peace of mind and protection for your family and home.

Designed and manufactured with pride in Italy, Bertazzoni signature rangetops are covered by an industry-leading 2-year parts and labor warranty.

[Guarda online](#)

Specifications

Features

Worktop

| | |
|----------------------------|--------------------------|
| Size | 36 in |
| Cooking zones | 5 |
| Number of gas zones | 5 |
| Worktop type | gas |
| Worktop design | stainless steel low edge |
| Worktop controls | knobs |
| Knobs | solid metal |
| Burner type | brass |
| Grates | cast iron |
| Continuous grating | yes |
| Thermocouple safety device | yes |
| One-hand ignition | yes |
| Wok ring | yes |
| Simmer ring | yes |

Cooking zones

| | |
|---------------|---------------|
| Power burners | 1700 BTU (1) |
| Rapid burner | 10400 BTU (1) |
| Medium burner | 6000 BTU (2) |
| Simmer burner | 3750 BTU (1) |

Technical specifications

| | |
|-------------------------|--------------------------------|
| Electrical supply | 120 V - 60 Hz - 1 W / 1 Amps |
| Power connection | NEMA 5-15P with 59" power cord |
| Certification | CGA, CSA |
| Gas type | NG |
| Conversion kit included | LPG |

Dimensions

