

## 48 inch Induction Range, 6 Heating Zones and Cast Iron Griddle, Electric Self-Clean Oven Heritage Series

\$ 16,999



### HER4861GFEPXT

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

This all-new induction range has 5 high-power heating zones with maximum power output of 3700W. The right-side heating zones can be bridged to create a larger cooking area. Each induction area is controlled with knobs and has a convenient read-out interface on the glass worktop. A large, removable cast-iron griddle is included.

The 4.6 cu.ft electric self-clean oven with dual diagonal convection allows even baking and roasting on 7 shelf levels. A 2.4 cu.ft auxiliary electric oven with broiler helps prepare multiple dishes at the same time. Bertazzoni ovens are equipped with an extra-large highpower broiler for broiling and grilling.

The soft-close oven door with edge-to-edge tempered glass is a masterpiece of European engineering and makes the oven door very easy to wipe clean. Convenient smooth-glide telescopic racks on 2 levels help loading and unloading the oven. This range comes with a dedicated air-frying mode for healthier cooking, to be used with the included stainless steel mesh basket.

The new **Collezione Metalli** offers decorative details to enhance your Heritage Series range, hood, dishwasher or fridge. You can choose from three real metal finishes: Gold-plated, Copper-plated and Black Nickel-plated.

All Bertazzoni appliances are covered by a 2-year warranty.

[Guarda online](#)



# Specifications

## Features

### Worktop

Size	48 in
Cooking zones	6
Number of induction zones	6
Worktop type	induction
Worktop design	stainless steel squared
Worktop controls	knobs
Knobs	solid metal
Backguard	yes
Cast iron griddle	yes

### Cooking zones

Induction 2 bridge zones	yes
Induction front left	(Ø 8 in 9/32) 2300 W - 3700 W
Induction back left	(Ø 8 in 9/32) 2300 W - 3700 W
Induction center	(Ø 8 in 9/32) 2300 W - 3700 W
Induction back center	(Ø 10 in 1/4) 2600 W - 3700 W
Induction front right	Bridge 2100 W - 3700 W
Induction back right	Bridge 2100 W - 3700 W

### Oven cavity

Oven configuration	single
Oven fuel	electric
Oven type	self-clean
Oven volume	4.6 ft <sup>3</sup>
Oven convection system	dual diagonal with heating element
Main oven type	electric pyrolytic
Main oven broiler type	electric
Main oven functions	air fry / bake / broiler / convection / convection bake / convection broiler / defrosting / dehydrate / pizza / proofing / pyrolytic self clean / warming
Auxiliary oven type	electric conventional

Auxiliary oven broiler type	electric
Auxiliary oven functions	bake / bottom bake / broiler / proofing / upper bake
Auxiliary oven volume	2.4 ft <sup>3</sup>
Inner oven door	triple
Removable inner glass	yes
Oven levels	7
Food probe	yes
Door hinges	soft-close
Air fryer	yes
Sliding shelves	2 sets of telescopic glides
Wire-shelves	2 each cavity
Tray	1 baking tray w/grill trivet + 1 air fry basket
Grill trivet for tray	yes
Oven lights	double lateral


**Bottom**

Legs	stainless steel
------	-----------------

**Technical specifications**

Absorbed current (A)	50 A with dedicated circuit
Electrical supply	120/240V - 60Hz - 15 100W 120/208V - 60Hz - 18 500W

**Dimensions**



---