

36 inch All Gas Range, 6 Brass Burners and Cast Iron Griddle Master Series

\$ 5,799



MAS366BCFGMXT

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

The high-efficiency maintop with 6 brass burners features 2 dual ring 19,000 BTU power-burners that boil water in under 6 minutes (best in class), and 4 additional MonoBloc burners of variable size and power to suit every style of cooking, with delicate simmer at 750 BTUs. A large, removable cast-iron griddle is included.

The 5.9 cubic feet oven cavity is the largest in its class, with dual convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant digital gauge gives precise control of oven temperature during pre-heating, roasting and baking, and has integrated controls for the food temperature probe. The extra wide infrared gas broiler is ideal for grilling and searing at high heat. The oven includes convenient features such as smooth telescopic glides for the oven shelves and soft-close doors. The edge-to-edge interior oven glass door maximizes interior volume and can be wiped clean without effort.

Optional **Collezione Metalli** décor sets knobs and handles are available in contrasting metals - satin gold and black nickel to personalize these accent style elements on your range, as well as all refrigerators and dishwashers in your kitchen suite.

All Bertazzoni appliances are covered by a 2-year warranty.

This model is also available with LP gas connection.

[Guarda online](#)

Specifications

Features

Worktop

| | |
|----------------------------|-------------------------|
| Size | 36 in |
| Cooking zones | 6 |
| Number of gas zones | 6 burners |
| Worktop type | gas |
| Worktop design | stainless steel squared |
| Worktop controls | knobs |
| Knobs | solid metal |
| Burner type | brass |
| Grates | cast iron |
| Continous grating | yes |
| Thermocouple safety device | yes |
| One-hand ignition | yes |
| Backguard | yes |
| Wok ring | yes |
| Simmer ring | yes |
| Cast iron griddle | yes |

Cooking zones

| | |
|---------------|-------------------------------|
| Power burners | 1300 BTU/h - 19 000 BTU/h (2) |
| Rapid burner | 2500 BTU/h - 10 400 BTU/h (1) |
| Medium burner | 1500 BTU/h - 5900 BTU/h (2) |
| Simmer burner | 750 BTU/h - 3500 BTU/h (1) |

Oven cavity

| | |
|--------------------|--------------------------------|
| Oven configuration | single |
| Oven fuel | gas |
| Oven type | fan assisted gas |
| Oven broiler type | gas |
| Cooking modes | bake / broil / convection bake |

| | |
|------------------------|---------------------------------|
| Oven volume | 5.9 ft ³ |
| Oven convection system | dual horizontal fans |
| Oven controls | knobs / thermometer |
| Inner oven door | triple |
| Removable inner glass | yes |
| Cooling fan | yes |
| Oven levels | 7 |
| Food probe | yes |
| Door hinges | soft-close |
| Sliding shelves | 2 sets of telescopic glides |
| Wire-shelves | 2 heavy duty |
| Tray | 1 baking tray with grill trivet |
| Grill trivet for tray | yes |
| Oven lights | double lateral |

Bottom

| | |
|------|-----------------|
| Legs | stainless steel |
|------|-----------------|

Technical specifications

| | |
|----------------------|------------------------------|
| Absorbed current (A) | 2.5 A with dedicated circuit |
| Electrical supply | 110V 60 Hz - 300W |

Dimensions



