

31 inch Freestanding Bottom Mount Refrigerator Master Series

\$ 1,699



REF31BMFX

The Bertazzoni 31" stainless steel refrigerator is designed and engineered with the highest grade materials and components. This refrigerator is Energy Star compliant.

This counter-deep refrigerator has ample storage capacity, with over 12 cubic feet of refrigerator volume and 4.9 cubic feet of freezer. The refrigerator compartment has 3 shelves and a full-width crisper drawer with 2 separate compartments. The freezer compartment has 3 drawers. The Total No-Frost air-cooling system for the refrigerator and freezer compartments provides optimal temperature and humidity control to keep food fresher longer. The internal touch-control LED screen simplifies setting and monitoring of all vital functions, with special one-touch functions such as Super Cool, Super Freezer and Energy Saving. Stainless steel doors have special treatment that eliminates fingerprint smudges. LED lights provide clear illumination of the interior compartments.

Using one of the 2 available handle kits in Professional and Master Series style, this refrigerator integrates seamlessly with all other Bertazzoni appliances into style-harmonized suites for a true, high-performing kitchen.

Handle kits are sold separately.

All Bertazzoni appliances are covered by a 2-year warranty.

[Guarda online](#)

Specifications

Features

General features

Size	31 in
Cooling system	frost free
User interface	LED touch control interface
Display functions	Super Cool, Super Freeze, Eco Mode
Lighting	LED illumination
Door ajar alarm	yes
Door finishing	stainless finish
Doors reversibility	field reversible door hinges
Cabinet finishing	white
Refrigerator net capacity	12.2 cu.ft ³
Refrigerator shelves	3
Refrigerator drawers	1 large size with adjustable humidity and center divider
Door storage	2 full-width bins / 4 half-width bins
Freezer net capacity	4.9 cu.ft ³
Freezer drawers	3
Water supply pressure	30-125 PSI
Sound rating	43 dbA
Certification	DOE, UL, CEC

Technical specifications

Electrical supply	115 V - 60 Hz - 1.5 A
-------------------	-----------------------

Dimensions

