

30 inch Induction Range, 4 Heating Zones, Electric Self-Clean Oven Professional Series

\$ 6,499



PRO304IFEPCAT

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

This all-new induction range has 4 high-power heating zones with maximum power output of 3700W. The right-side heating zones can be bridged to create a larger cooking area. Each induction area is controlled with knobs and has a convenient read-out interface on the glass worktop.

The 4.6 cubic feet oven cavity is the largest in its class, with dual convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant digital temperature gauge monitors the actual temperature in the oven and has integrated controls in the bezel for the food temperature probe. The extra wide electric broiler with optional convection is ideal for grilling and searing at high heat. The oven includes convenient features such as smooth telescopic glides for the oven shelves and soft-close doors. The edge-to-edge interior oven glass door maximizes interior volume and can be wiped clean without effort.

This range comes with a dedicated air-frying mode for healthier cooking, to be used with the included stainless steel mesh basket.

All Bertazzoni appliances are covered by a 2-year warranty.

[Guarda online](#)

Specifications

Features

Worktop

Size	30 in
Cooking zones	4
Number of induction zones	4
Worktop type	induction
Knobs	metal coated
Backguard	yes

Cooking zones

Induction 2 bridge zones	yes
Induction front left	∅ 5 ¾ in - 1400 W (2200 W booster)
Induction back left	∅ 8 ¼ in - 2300 W (3700 W booster)
Induction front right	Bridge 2100 W (3700 W booster)
Induction back right	Bridge 2100 W (3700 W booster)

Oven cavity

Oven configuration	single
Oven fuel	electric
Oven type	self-clean
Oven broiler type	electric
Cooking modes	bake / broil / convection / convection bake / convection broil / dehydrate / pizza / proofing / pyrolytic self clean / warming
Oven volume	4.6 ft ³
Oven convection system	dual diagonal with heating element
Inner oven door	triple
Removable inner glass	yes
Oven levels	7
Food probe	yes
Door hinges	soft-close
Air fryer	yes
Sliding shelves	2 sets of telescopic glides

Wire-shelves	2
Tray	1 baking tray w/grill trivet + 1 air fry basket
Grill trivet for tray	yes
Oven lights	double lateral

Bottom

Legs	stainless steel
------	-----------------

Technical specifications

Absorbed current (A)	40 A with dedicated circuit
Electrical supply	120/240V 60 Hz - 13 000W 120/208 V 60Hz - 11 700W

Dimensions

FRONT VIEW

LEG DETAILS

