

## 24 inch bottom mount integrated panel ready sliding door Professional Series

\$ 1,499



### REF24BMBPNB

The Bertazzoni 24 inch built-in bottom mount refrigerator offers 6.2 cubic feet of refrigerator volume and 2.4 cubic feet of freezer volume.

The internal configuration is designed for maximum flexibility, the refrigerator is equipped with 1 full-width crisper with humidity-control and independent temperature control, 3 adjustable-height shelves and 3 door bins to ensure organized storage and preservation of food. The 3 drawers in the freezer compartment ensure easy organization and retrieval of frozen goods.

The Total No Frost system offers an automated defrosting evaporator that ensures food always stays fresh. It's equipped with LED lighting and an electronic touch interface with user-friendly controls for temperature setting. The panel ready door is reversible for left or right swing installation.

To mount a Bertazzoni handle kit on a custom kitchen cabinet panel; use brass threaded inserts available for purchase [here](#).

Using one of the 3 available handle kits in Professional, Master and Heritage Series style, this refrigerator integrates seamlessly with all other Bertazzoni appliances into style-harmonized suites for a true, high-performing kitchen.

[Handle kits are sold separately.](#)

All Bertazzoni appliances are covered by a 2-year warranty.

[Guarda online](#)



# Specifications

---

## Features

---

### General features

---

Size	24 in
Cooling system	frost free
User interface	LED touch control interface
Display functions	Super Cool, Super Freeze, Vacation Mode, Eco Mode
Lighting	LED illumination
Door ajar alarm	yes
Door finishing	panel ready
Cabinet finishing	white
Refrigerator net capacity	6.2 cu.ft <sup>3</sup>
Refrigerator shelves	3 height-adjustable + 1 stationary
Refrigerator drawers	1 + 1 Fresco drawer with separate temperature and humidity control
Door storage	3 bins
Freezer net capacity	2.4 cu.ft <sup>3</sup>
Freezer drawers	3
Sound rating	41 dbA
Certification	CEC, ETL

---

### Technical specifications

---

Electrical supply	115 V - 60 Hz - 0.8 A
Power rating	85 W
Power connection	NEMA 5-15P with 41" power cord
Energy consumption	372 kwh/yr

---

---

# Dimensions

---

