

30 inch Electric Range, 4 CERAN Heating Zones, Electric Oven Professional Series

\$ 3,699



PRO304CEMXV

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

This range has 4 electric heating zones with maximum power output of 2100W. Each heating zone is controlled with metal finish knobs with ergonomic shape and has a convenient read-out interface on the glass worktop.

The 4.7 cubic feet oven cavity is the largest in its class, with dual horizontal convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant large temperature gauge monitors the actual temperature in the oven during pre-heating and baking. The 6-pass electric broiler with optional convection is ideal for broiling and grilling.

The soft-motion oven door with edge-to-edge tempered glass is a masterpiece of European engineering and makes the oven door very easy to wipe clean. The stainless steel racks included with the range can be equipped with optional telescopic glides.

All Bertazzoni appliances are covered by a 2-year warranty.

[Guarda online](#)

Specifications

Features

Worktop

Size	30 in
Cooking zones	4
Worktop type	electric
Knobs	metal coated
Backguard	yes

Cooking zones

Induction front left	Ø 9 in - 2100 W
Induction back left	Ø 6 ½ in - 1200 W
Induction front right	Ø 6 ½ in - 1200 W
Induction back right	Ø 7 ¾ in - 1800 W

Oven cavity

Oven configuration	single
Oven fuel	electric
Oven type	electric multifunction
Oven broiler type	electric
Cooking modes	bake / bottom bake / broil / convection / convection bake / convection broil / fast preheat / pizza / upper bake
Oven volume	4.7 ft ³
Oven convection system	dual horizontal fans
Inner oven door	triple
Removable inner glass	yes
Oven levels	7
Door hinges	soft-motion
Wire-shelves	2 standard with handle
Tray	1 baking tray with grill trivet
Grill trivet for tray	yes
Oven lights	double lateral

Bottom

Legs stainless steel

Technical specifications

Absorbed current (A) 40 A with dedicated circuit

Electrical supply 120/240V 60 Hz - 10 000W
120/208V 60 Hz - 8 300W

Dimensions

FRONT VIEW

LEG DETAILS

