

## 48 T-Shape Island Hood, 1 motor 600 CFM Professional Series

\$ 2,399



### **KTI48XT**

All Bertazzoni ventilation solutions are designed, engineered and made in Italy using the highest grade materials and components. Every hood pairs perfectly with all Bertazzoni ranges, rangetops and cooktops of the same size and integrates seamlessly with all other Bertazzoni appliances into style-harmonized suites for a true, high-performing kitchen.

Powered by a 600 CFM motor with three power settings + booster, this elegant stainless steel hood comes with LED lights, stainless steel or optional baffle filters, all easily removable and dishwasher safe. This range hood model is engineered to be suspended from the ceiling and ideally suited for an installation over a kitchen island.

All Bertazzoni appliances are covered by a 2-year warranty.

[Guarda online](#)

# Specifications

---

## Features

---

### Hood

---

|                      |                         |
|----------------------|-------------------------|
| Size                 | 48 in                   |
| Hood type            | island mount            |
| Hood control         | electronic with buttons |
| Remote control       | yes                     |
| Duct cover           | included                |
| Motor                | 1                       |
| Speed                | 3 + booster             |
| Filters type         | stainless steel mesh    |
| Lights               | 4 LED                   |
| Hood finishing       | stainless steel         |
| Duct size            | 6" diameter             |
| Sound rating         | 2.5 - 9.5 Sones         |
| Max extraction power | 600 CFM                 |

---

### Technical specifications

---

|                   |                                    |
|-------------------|------------------------------------|
| Electrical supply | 110-120 V - 60 Hz - WIRING BOX Amp |
| Power rating      | 394 W                              |
| Power connection  | hardwired                          |
| Certification     | ADA Compliant, CEC, UL             |

---

# Dimensions

